

Goldhofer

Goldhofer STZ-L 5-50/80 A / EXTENDABLE / 5 X STEERING AXLE

€ 42.500 excl.

Year 2009
Reference number St_6850

Common

Type STZ-L 5-50/80 A / EXTENDABLE / 5 X STEERING AXLE
Location Locatie 1
VIN number WG0STZL5890032410
First registration 21-09-2009
Fuel Diesel

Weights

GVW 70000
Empty weight 17800
Load capacity 52200

Specifications


Configuration 5 Assen
Superstructure length 1200
Superstructure width 255
Superstructure height 92
Total height 245
Total width 255
Total length 1660

Tires / suspension

positie_1e_as rear
1e_as_aangedreven
1e_as_gestuurd
remmen_1e_as drum
Tyre size first axle 235/75R17.5



versteijnen
trucks



Suspension first axle	air
banden_1e_as_links_buiten	40
banden_1e_as_rechts_buiten	40
banden_1e_as_links_binnen	40
banden_1e_as_rechts_binnen	40
Tyres first axle	40
positie_2e_as	rear
2e_as_aangedreven	
2e_as_gestuurd	
remmen_2e_as	drum
Tyre size second axle	235/75R17.5
Suspension second axle	air
banden_2e_as_links_buiten	40
banden_2e_as_rechts_buiten	40
banden_2e_as_links_binnen	40
banden_2e_as_rechts_binnen	40
Tyres second axle	40
positie_3e_as	rear
3e_as_aangedreven	
3e_as_gestuurd	
remmen_3e_as	drum
Tyre size third axle	235/75R17.5
Suspension third axle	air
banden_3e_as_links_buiten	40
banden_3e_as_rechts_buiten	40
banden_3e_as_links_binnen	40
banden_3e_as_rechts_binnen	40
Tyres third axle	40
positie_4e_as	rear
4e_as_aangedreven	
4e_as_gestuurd	
remmen_4e_as	drum
Tyre size fourth axle	235/75R17.5
Suspension fourth axle	air
banden_4e_as_links_buiten	40
banden_4e_as_rechts_buiten	40
banden_4e_as_links_binnen	40
banden_4e_as_rechts_binnen	40
Tyres fourth axle	40
positie_5e_as	rear
5e_as_aangedreven	
5e_as_gestuurd	
remmen_5e_as	drum
Tyre size fifth axle	235/75R17.5
Suspension fifth axle	air
banden_5e_as_links_buiten	40

banden_5e_as_rechts_buiten	40
banden_5e_as_links_binnen	40
banden_5e_as_rechts_binnen	40
Tyres fifth axle	40

Options

Antiblokkeersysteem